



Simpolo Vitrified Private Limited

Old Ghuntu Road, MORBI - 363 642, Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA


Ground Floor, DB - 52, Salt Lake City, Sector 1, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

ROCKDECK
OUTDOOR FLOORS & FACADES

800x1200mm | 600x1200mm
398x800mm | 398x398mm

16mm
12mm
10mm





ROCKDECK
OUTDOOR FLOORS & FACADES

16mm
12mm
10mm

800x1200mm | 600x1200mm
398x800mm | 398x398mm

COLLECTION 2020

EARTH, WATER, FIRE AND AIR HAVE ALL BEEN COMBINED TO BRING YOUR EMOTIONS TO LIFE. FEEL THE ENERGY THAT EACH OF THESE ELEMENTS CAN CONVEY. ONE BY ONE OR IN UNISON, THEY WILL SHOW YOU HOW TO EXPERIENCE THE TRUE MEANING OF NATURE.

ADJACENT TO NATURE

Go outside and look at all the different elements that are needed to create ceramic tiles. Together they form a life source that opens the gateway to a whole new world of tiled surfaces. Envelop yourself in fire's passion and heat. You will be drawn by its fervor, energy and warmth.

Bring your dreams to life with water: one of the natural elements so essential in breathing life into everything that surrounds you.

Breathe in and feel at one with the environment. Air is crucial in life and so fundamental in the products we make. And keep your feet on the ground, on the earth that forms the basis of our products.

Four elements, four sensations and four ways of sharing what unites us in designs as pure and unique as your own life.

our brand
ambassador
Hrithik Roshan





INDEX

06 Slack Stone

08 Lime Stone

10 Panero

12 Barberino

14 Salted Concrete

16 Lavagna

17 Rock Deck

18 Quarry Stone

22 Slate

23 Milano

23 Maple

24 Desert

28 RD



Slack Stone Grey



Slack Stone Natural





Lime Stone Crema



Lime Stone Ash



Lime Stone Grey





ROCKDECK
OUTDOOR FLOORS & FACADES

Wall
Panero Gris
Size : 398x800mm

Floor
Panero Gris
Size : 398x398mm



Panero Sand



Panero Gris



Panero Nero




Floor
Panero Sand
Size : 398x800mm


THICKNESS : 10 mm / 16 mm
SURFACE : Matt




398x800mm




Barberino Lux



Barberino Verde




Barberino Crema



Barberino Brown



Barberino Gris



Barberino Negro



Floor

Barberino Negro

Size : 398x800mm + 398x398mm

THICKNESS : 10 mm / 16 mm


SURFACE : Matt



398x800mm




398x398mm



Salted Concrete Ash



Salted Concrete Grey



Salted Concrete Crema




Salted Concrete Rust





Lavagna Beige



Lavagna Grey



ROCKDECK
OUTDOOR FLOORS & FACADES

Wall & Floor

Lavagna Grey

Size : 398x800mm + 398x398mm



398x800mm



398x398mm



Rock Deck Crema



Rock Deck Sahara




Rock Deck Coffee



Rock Deck Lux



Rock Deck Verde



Rock Deck Gris

THICKNESS : 16 mm

SURFACE : Matt




600x600mm





Query Stone Crema




Query Stone Sahara



Quarry Stone Sky



Quarry Stone Gris



Slate Nero



ROCKDECK
OUTDOOR FLOORS & FACADES

THICKNESS: 16 mm
SURFACE: Matt

Floor
Slate Nero
Size : 600x1200mm + 600x600mm



Milano Beige



Milano Cotto



Maple Wood

Floor
Maple Wood
Size : 600x600mm

THICKNESS: 16 mm
SURFACE: Matt






Desert Crema



Desert Sahara



Desert Coffee



Desert Bianco




Desert Lux




Desert Verde



Desert Grey



Desert Gris



Desert Negro



Desert Crema

Step




Desert Crema

Riser



Desert Sahara

Step



Desert Sahara

Riser

Desert Step & Riser



Desert Verde

Step




Desert Verde

Riser



Desert Gris

Step



Desert Gris

Riser

THICKNESS: 12 mm
SURFACE: Matt




300x1200mm



600x1200mm



R D 01



R D 03



R D 02



R D 04



RD 05



RD 07



RD 09



RD 10



RD 06




RD 08



Floor
RD 12
Size : 400x400mm

THICKNESS : 12 mm
SURFACE : Matt



400x400mm



ROCKDECK
OUTDOOR FLOORS & FACADES

Floor
RD 15
Size : 400x400mm



RD 11



RD 13




RD 12



RD 15

THICKNESS: 12 mm
SURFACE: Matt





ROCKDECK
OUTDOOR FLOORS & FACADES

Floor
RD 19
Size : 400x400mm




RD 17



RD 18



RD 16



RD 19

THICKNESS: 12 mm
SURFACE: Matt



400x400mm



RD 20



RD 14



RD 21



RD 22




RD 27




RD 29




RD 39



RD 41



RD 28




RD 33



RD 40



RD 42



RD 23




RD 25



RD 24




RD 26




R D 38

5 Random Faces




R D 37






R D 34



R D 36



R D 35



R D 43



R D 44




R D 45




ROCKDECK
OUTDOOR FLOORS & FACADES


Floor
RD 47 + RD 48
Size : 400x400mm



RD 48




RD 46



RD 47

THICKNESS: 12 mm
SURFACE: Matt



400x400mm

Technical Specification

ROCKDECK

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS15622:2018 Gr.Bla	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small Color Difference(Glaze/Unglaze)	Unglazed ΔE <1.00/Glaze ΔE <0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties				
Water absorption	≤ 0.50 %	≤ 0.080 %	≤ 0.060 %	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3 & IS 13630-2
Massive Mechanical Properties				
Modulus of rupture(10 & 12mm)	Min. 35.0 N/mm²	Min. 35.0 N/mm²	Min. 40.0 N/mm²	ISO 10545-4 & IS 13630-6
Modulus of rupture(16 & 20mm)	as per mfg.	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(10 & 12mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 2000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(16 & 20mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4 & IS 13630-6
Surface Mechanical Properties				
MOH'S hardness	as per mfg.	Min. 5	Min 6	BS EN 15771 & IS 13630-13
Surface abrasion resistance	as per mfg.	Min. Class II	Min. Class 3 / Min. Class III	ISO 10545-7 & IS 13630-11
Deep abrasion resistance	Max. 175mm³	Max. 140mm³	Max. 132mm³	ISO 10545-6 & IS 13630-12
Thermal Hydrometric Properties				
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 7.0 x 10 ⁻⁴	Max. 6.0 x 10 ⁻⁴	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Crazing resistance at (ISO 500 ±20 kPa-159°C ±1°C) / (IS 750 ±20 kPa-168°C ±1°C)	as per mfg.	Min. 4 Cycle	Min. 6 Cycle	ISO 10545-11 & IS 13630-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
Chemical Properties				
Resistance to staining glazed	Min. Class 3	Min. Class I	Min. Class 4/Min. Class I	ISO 10545-14 & IS 13630-8
Resistance to staining unglazed	as per mfg.	Min. Class 2	Min. Class 4/Min. Class 2	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class G8	Min. Class AA	Min. Class GA/Min. Class AA	ISO 10545-13 & IS 13630-8
Resistance to household chemicals & swimming pool salts unglazed	Min. Class UB	as per mfg.	Min. Class UB/Min. Class A	ISO 10545-13 & IS 13630-7
Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GLB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to low concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class ULB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GHB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class UHB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Safety Properties				
Skid resistance(COF-WET PENDULAM)#	as per mfg.	as per mfg.	> 0.24**	BS 7976
Slip resistance(COF)(R value) #	as per mfg.	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	as per mfg.	Fire Proof	N.A.

* Except Hydrofluoric Acid & it's compound
**Depending on Application area (low or high intensity of traffic)
As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
ROCKDECK	600x1200mm / 60x120cm	16mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	600x1200mm / 60x120cm	12mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	300x1200mm / 30x120cm	12mm	3 pcs.	1.08 sq. mtr.	11.62 sq. ft.
	398x800mm / 40x80cm	16mm	2 pcs.	0.64 sq. mtr.	6.89 sq. ft.
	398x800mm / 40x80cm	10mm	4 pcs.	1.28 sq. mtr.	13.78 sq. ft.
	600x600mm / 60x60cm	16mm	2 pcs.	0.72 sq. mtr.	7.75 sq. ft.
	600x600mm / 60x60cm	10mm	4 pcs.	1.44 sq. mtr.	15.50 sq. ft.
	398x398mm / 40x40cm	16mm	4 pcs.	0.64 sq. mtr.	6.89 sq. ft.
	398x398mm / 40x40cm	10mm	8 pcs.	1.28 sq. mtr.	13.78 sq. ft.

Technical Specification

ROCKDECK

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS15622:2018 Gr.Bla	MEAN VALUE OF SIMPOLO	TEST METHOD
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small Color Difference(Glaze/Unglaze)	Unglazed ΔE <1.00/Glaze ΔE <0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties				
Water absorption	≤ 0.50 % Ev ≤ 3.00%	≤ 0.08 % Ev ≤ 3.00%	≤ 0.08 % Ev ≤ 3.00%	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3 & IS 13630-2
Massive Mechanical Properties				
Modulus of rupture(10 & 12mm)	Min. 35.0 N/mm²	Min. 35.0 N/mm²	Min. 40.0 N/mm²	ISO 10545-4 & IS 13630-6
Modulus of rupture(16 & 20mm)	as per mfg.	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(10 & 12mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 2000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5(16 & 20mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4 & IS 13630-6
Surface Mechanical Properties				
MOH'S hardness	as per mfg.	Min. 5	Min 6	BS EN 15771 & IS 13630-13
Surface abrasion resistance	as per mfg.	Min. Class II	Min. Class 3 / Min. Class III	ISO 10545-7 & IS 13630-11
Deep abrasion resistance	Max. 175mm³	Max. 140mm³	Max. 132mm³	ISO 10545-6 & IS 13630-12
Thermal Hydrometric Properties				
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 7.0 x 10 ⁻⁴	Max. 6.5 x 10 ⁻⁴	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Crazing resistance at (ISO 500 ±20 kPa-159°C ±1°C) / (IS 750 ±20 kPa-168°C ±1°C)	as per mfg.	Min. 4 Cycle	Min. 6 Cycle	ISO 10545-11 & IS 13630-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
Chemical Properties				
Resistance to staining glazed	Min. Class 3	Min. Class I	Min. Class 4/Min. Class I	ISO 10545-14 & IS 13630-8
Resistance to staining unglazed	as per mfg.	Min. Class 2	Min. Class 4/Min. Class 2	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class G8	Min. Class AA	Min. Class GA/Min. Class AA	ISO 10545-13 & IS 13630-8
Resistance to household chemicals & swimming pool salts unglazed	Min. Class UB	as per mfg.	Min. Class UB/Min. Class A	ISO 10545-13 & IS 13630-7
Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GLB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to low concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class ULB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class GHB*/Min. Class A*	ISO 10545-13 & IS 13630-8
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	as per mfg.	Min. Class UHB*/Min. Class A*	ISO 10545-13 & IS 13630-7
Safety Properties				
Skid resistance(COF-WET PENDULAM) #	as per mfg.	as per mfg.	> 0.24**	BS 7976
Slip resistance(COF)(R value) #	as per mfg.	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	as per mfg.	Fire Proof	N.A.

* Except Hydrofluoric Acid & it's compound
**Depending on Application area (low or high intensity of traffic)
As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
ROCKDECK	400x400mm / 40x40cm	12mm	5 pcs.	0.80 sq. mtr.	8.61 sq. ft.

Simpolo Gallery / Shopee

AHMEDABAD SIMPOLO GALLERY First Floor, 103, Sumel - 2, Nr. Gurudwara, S.G. Highway, Bodakdev, Ahmedabad - 54. Mob.: +91 79 40037222	AGRA ARAVALI CERAMICS COMPANY (SIMPOLO GALLERY) NH. 2, Mauja Kuberpur, Near Reliance Petrol Pump, Tehsil Elmudpur, Agra. Mob.: +91 99971 77711	AURANGABAD VUJAY HOUSE OF FLOORINGS 9, Ajmera Towers, Below Bank of Baroda, Garheda, Aurangabad - 431 005. Mob.: +91 92724 84848
BANGALORE SIMPOLO GALLERY #79 /1 & 144 /1-9, Kalkere Main Road, Horamavu Village, Bangalore - 560 043. Tele.: +91 80 65462222, 65363333 Mob.: +91 99002 31333	BARODA SIMPOLO MARKETING 29, Dhanlaxmi Complex, Opp. Manglaya Hall, Near Airport Char Rasta, Harni Road, Baroda. Mob.: +91 99749 60603	BHAVNAGAR H. F. INTERIORS Plot No.36 , "Anjaney", Ground Floor, Beside D.B. Bath , Nr. Kalyabid Water Tank, Opp. Victoriya Park, Bhavnagar. Tele.: +91 278 2560215 / 16 Mob.: +91 99099 93244
BHOPAL SHRI GORAJI MARBLE Plot No 91 - A, Airport Main Road, Near SBI Bank, Bhopal. Mob.: +91 84629 40479, +91 81093 44201	BHUBANESWAR CERAMIC WORLD 602, Rasulgrah, Opp. Kochilei Market, Cuttack Road, Bhubneswar. Mob.: +91 92384 99102	BHILWARA HINDUSTAN CERAMIC DISTRIBUTORS Shop No - 12, 13 Surbhi Enclave Opp. Gaytri Mandir Ashram Ajmer Road, Bhilwara. Mob.: +91 98290 40088
CHANDIGARH (Zirakpur) New Tile World Zirakpur Paliola Road, Zirakpur (Mohali)	CHIKHU PRUTHVI ENTERPRISE Chikhi Bimora Road, Chikhi, Dist. Navsari. Tele.: +91 2634 231200 Mob.: +91 98251 79455	CHENNAI I. K. CLASSIVA 867, Poonamallee High Road, Opp. Klpauk Police Station, Before Sangam Theatre Klpauk, Chennai - 600 010. Mob.: +91 98404 61888, +91 99402 52706
COCHIN SREE VENIKATESWARA AGENCIES X/3397, T. D. East Sannidhi Road, Ernakulam - 682035 Mob.: +91 97444 45454	COCHIN SIMPOLO GALLERY 33/2380 A-A1, NH Bypass, Vyasali Bus Stop, Chakkraparambu, Cochin - 682 032. Mob.: +91 93493 39938	CUTTACK CERAMIC SALES CORPORATION Plot No.1650/2792, Gopalpur, NH - 5, Cuttack - 753 001. Mob.: +91 92384 99114
DHULIYA VIRAJ CERAMICS 87/6, Opp. Hotel Sheetal, Parola Road, Balapur, Dhule - 424 001. Mob.: +91 98501 80401	DEHRADUN AARAMBH CERAMICS #241/2, First Floor, GMS Road, Near Ballupur Chowk, Salya Vihar Ballupur, Dehradun, Uttarakhand - 248 006. Mob.: +91 72520 02000	GANDHIDHAM SIMPOLO GALLERY Sec. 1-A, Plot 91, First Floor, Gandhidham (Kutch). Mob.: +91 94267 37808
GOA (Margao) SILVER TRADE LINKS Shop No.17, Desai Resi. & Com. Complex, Dongarwado, Nr. Nehru Stadium, Fatorda, Margao - Goa. Tele.: +91 832 2741160 Mob.: +91 93723 34339	GURGAON SIMPOLO GALLERY Simpola House, C-1, South City, Gurgaon - 122 001. Tele.: +91 124 4278820	HIMMATNAGAR CERAMIC GALLERY Sankalp Complex, Samlaji Highway, Near Collage, Molupura, Himmatnagar. Mob.: +91 99798 93772, +91 99798 75772
HUBLI KOLIWAD MARBLE AND GRANITE Near Marickbag Showroom, P.B. Road, Vidhyanagar, Hubli. Tele.: +91 836 2372580 / 4252580	HYDERABAD CERAMIC INC. Solanki Plaza, 8-2-293/K/307, Kamalapuri Colony, Opp. Green Bawarchi Hotel, Hyderabad - 500 073. Tele.: +91 40 23334040, Mob.: +91 90000 18041	HISAR SHRI RAM TILES & SANITARYWARE Pili Nagar, Balsamand Road, Opp. Nagar Nigam, Hisar (Haryana) Mob.: +91 94162 44559, +91 94666 41718
INDORE PARAG Race Course Road, Indore. Fax: +91 731 2547598 Tele.: +91 731 2535659 / 60	JAIPUR GUPTA TILES 76, Rathi Nagar, Gajsinghpura, Gopalpura Bypass, Jaipur, Rajasthan. Mob.: +91 94133 84900	JAORA SHUBH MARBLE AND GRANITE. 30, Industrial Area, Jaora (M.P.). Mob.: +91 98275 62933
JODHPUR SUN - DEEP TILES E-73, Kalplatu Shopping Center, Shastri Nagar, Jodhpur - 342 001. Mob.: +91 96720 11000	KALABURAGI SIMPOLO Sy. No. 71 Bigundi Gardens, Behind Kharge Petrol Pump, Sedam Ring Road Circle, Kalaburagi - Karnataka, Mob.: +91 89709 41000	KOLHAPUR CHANDWANI CERAMIC Opp. Hotel Shivlata, Kolhapur Sangli Road Shrioli Plot No.65/6, Shrioli. Tele.: +91 98220 42900
KOLKATA SIMPOLO GALLERY Ground Floor, D.B.52, Salt Lake City, Sector 1, Kolkata - 700 064. Mob.: +91 90733 53728	KAKINADA OME AGENCIES #69-12-29/1, Near Spancer' S, Pithapuram Road, Kakinada - 533 005. Mob.: +91 9553300022	MUMBAI SIMPOLO GALLERY Unit No.: 203, 2nd Floor, Morya Land Mark 2, Near Infinity Mall, Link Road, Andheri (W), Mumbai - 400 053 Tel.: +91 22 40167131
NASHIK THE CERAMIC STUDIO Shop No.18, Business Bay, Shihari Kute Marg, Tidke Colony, Mumbai Naka, Nashik - 422 002. Mob.: +91 88477 88888	NAGPUR NATURAL CERAMIC Municipal House 3163/a/388, Hiwari Nagar Layout, Nagpur, Maharashtra - 440 008. Mob.: +91 73876 37332, +91 94236 80788	NEEMUCH (MP) CAPTAIN TILES CENTER 425, Scheme No. 36-A, Opp. Collector Office, Neemuch, Madhyapradesh. Mob.: +91 98980 60635 Email: captaintiles@yahoo.in

NEPAL JJ MARBLE HOUSE G.P.O Box No. 56, 14/389, Tokha Road, Kathmandu, Nepal. Ph: +977 14381218	NEW DELHI TECHNO STONE Khasra No. 12, Fatehpur Beri, Challarpur Mandir Road, Opp. Narayani Devi Charitable Dispnsary & Canara Bank, New Delhi - 110 074. Tele.: +91 11 65456660	PALAKKAD M/S. K A V. SHAIK ROWTHER 31/671 Market Road, Palakkad - 678 014, Kerala. Tele.: +91 491 2502301, 2537771
PUNE SRI PARAM MARKETING Vasant Vaslu, Ground Floor, Near Saubhagya Mangal Karyalay, Near City International School, Maharshi Nagar, Pune - 37. Mob.: +91 90280 11200 / 300	RAJKOT SIMPOLO GALLERY Govardhan Society, Opp. Hill Burg App., Nr. Golden Super Market, Vidhyakunj Main Road, Rajkot. Mob.: +91 78744 74448	RANCHI PINK CITY MARBLE Piska More, Ratu Road, Ranchi - 834 005. Mob.: +91 94313 51883, +91 94311 70475
RATLAM CERAMIC CRAFT 17, College Road, Ratlam, (M.P.) Mob.: +91 94251 03719	SATNA MAHALAXMI TILES Gandhi Chowk, Satna, (M.P.) Mob.: +91 94247 62988	SANGAMNER CERAMIC CENTER Opp. Barf Karkhana, Malthurabai Nagar, Kasara Dumala, Akola Road, Sangamner. (M.H.) Mob.: +91 95616 13633
SANGLI VARDHMAN ENTERPRISE 213, Sangli Kolhapur Road, Opp. Hyundai Showroom, Sangli-Ankai. Tele.: +91 233 2422022 / 20 Mob.: +91 90110 93588, +91 89830 93588	SECUNDERABAD CERAMIC INC. HNO#4/70/37, Adarsh Nagar, Nagole, Hyderabad. Tele: +91 40 65694040 / 5050	SRI GANGANAGAR PHOOL CHAND MILL STORE Lakkar Mandi, Ganesh Talkies Road, Sri Ganganagar. Mob.: +91 94140 88743, +91 97828 44424
SILIGURI S.S. SANITATION Millal Square, 2nd Floor, Opp. Anandaloke Nursing Home, Sevoke Road, Siliguri - 734001 (W.B) Mob.: +91 94340 27755	SIRSA Deepak Marbles Surajgar Bazar, Sirsa. Mob.: +91 98961 00032	SURAT SIMPOLO IMPEX 105-106, 1st Floor, Sapphire Business Hub, Opp. Green Arcade, Madhuvan Circle to Green City Road, L.P. Savani Road, Pal - Adajan, Surat. Mob.: +91 99796 18009, Tele.: +91 261 2760787
TIRUPUR NANDHI PIPES No.39, Vignesh Nagar, Kaikalipudur, Tirupur Main Road, Avinashi - 641 654. Tele.: +91 4296 275740 Mob.: +91 94432 83885	THRISSUR MODERN SANITARY Chellapudha, Building, Kurupparam Road, Thrissur, Kerala. Tele.: +91 487 2442507, 3290468	THRISSUR CLASSIC SANITARY EMPORIUM Br. Classic Buldware, 11/ 479-A, Kolathumpady, Irinjalakuda, Thrissur, Kerala. Mob.: +91 98472 10693
TIRUPUR KAILAS TRADERS 4/193(I), Bharathi Nagar, Veerapapandi (po), Palladam Road, Tirupur - 641605. Mob.: +91 98941 34340	TRICHY AVTHAR CERAMICS No.1,New Chilan Nagar, Trichy to Chennai bye pass. Road Trichy-2. Mob.: +91 75400 00186	TRICHY SHRI RANGA AGENCIES Shri Ranga Towers, No. 9, Royal Road , Canlonment, Trichy. Tele.: +91 431 2415751
TRIVANDRUM (Kerala) TARA SANITARY WARES AND TILES Goodwill Tower, Pallom Plamoady Road, Pallom, Trivandrum, Kerala - 695 004. Mob.: +91 9447055212		

AMRITSAR	+91 72280 10183	GUWAHATI	+91 74348 51076	KOLAHAPUR	+91 93260 08009
AGRA	+91 75748 62730	GHAZIABAD	+91 72289 53030	LUCKNOW	+91 93369 95222
AHMEDABAD	+91 99980 23911	GWALIOR	+91 85179 74222	LUDHIANA	+91 99888 06328
AURANGABAD	+91 86981 16989	GOA	+91 74348 51077	MANGALORE	+91 93412 99684
BHATINDA	+91 85951 97548	HIMACHAL	+91 74348 51096	MORBI	+91 99980 23914
BANGALORE	+91 93411 69424	HISAR	+91 75748 62785	MUMBAI	+91 96198 12453
BARODA	+91 99989 51003	HARYANA	+91 93151 11717	NASIK	+91 95791 54555
BHOPAL	+91 93030 23222	HALDWANI	+91 75748 62986	NAGPUR	+91 72530 92929
BHUBANESWAR	+91 99256 23322	HARIDWAR	+91 75748 62729	PUNE	+91 74348 51112
BHUJ	+91 97252 40551	HUBLI	+91 93798 32244	PATNA	+91 74348 51102
BIKANER	+91 74348 51099	INDORE	+91 93000 97056	ROHTAK	+91 93734 64002
BILASPUR	+91 95222 23979	JMMU & KASHMIR	+91 75748 62776	RANCHI	+91 73600 66902
CHANDIGARH	+91 93179 95222	JALANDHAR	+91 93570 32211	RAIPUR	+91 95222 23980
CALICUT	+91 75748 62674	JABALPUR	+91 93298 27222	RAJKOT	+91 99980 23910
COCHIN	+91 93493 39938	JAIPUR	+91 74348 51097	SURAT	+91 95588 14899
CHENNAI	+91 70944 74180	JODHPUR	+91 95879 25005	SILIGURI	+91 90733 53733
COIMBATORE	+91 70944 74183	KARNAL	+91 75748 62793	TRISSUR	+91 93877 12233
DELHI (N/W)	+91 74348 51091	KOLKATA	+91 90733 53728	TIRUNELVELI	+91 70944 74181
DELHI (S/E)	+91 93132 62007	KANPUR	+91 74348 51095	UDAIPUR	+91 74348 51100
DEHRADUN	+91 93586 66607	KANNUR/KASARGO	+91 93886 46777	VJAYAWADA	+91 93466 08791
GURGAON	+91 99533 50368	KOTTAYAM	+91 70960 33349	VISAKAPATNAM	+91 93966 35554

CUSTOMER CARE: Toll Free: 1800 233 2223 | Cell: +91 75748 62982 / 83 | Email: customercare@simpolo.net