



20x120cm WOOD STRIPS COLLECTION (2024)

SUNHEARRT INTRODUCTION

Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunhearrt, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop solution for any space amplification.

Penetrating the industry with an everexpanding portfolio, Sunhearrt has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

Company strength and achievements that defines our place in the industry.



AMONG TOP 10 CERAMIC BRANDS IN INDIA



ONE OF THE LARGEST TILE EXPORTERS, CONSECUTIVELY FOR THE LAST 6 YEARS



14+ SIZES IN 5000+ DESIGNS



PRESENCE IN
60+ COUNTRIES



25 MILLION SQM. MANUFACTURING CAPACITY/ANNUM



THE FIRST COMPANY IN
THE CERAMIC INDUSTRY WITH
3-STAR EXPORT HOUSE



1195+ BUSINESS PARTNERS



INVESTMENTS IN RENEWABLE ENERGY

Elevating spaces, uplifting surface experience!


Reshaping spaces by constantly enhancing surroundings with new possibilities. Sunhearrt promises the amalgamation of innovation and style, crafting high-end ceramic excellence. It is about taking space to a higher level, making it more appealing and adaptive.

Our focus lies in transcending the ordinary, where every tile, every design, echoes the essence of sophistication and durability. Sunhearrt stands as a beacon for those seeking not just elegance but an enduring legacy woven into the very fabric of their spaces.




Tiles

Flooring the extensions of your dream space, tiles from Sunhearrt are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for 'architecting' the spectacular!




TILE LAYING PATTERN





A WOODEN CAMOUFLAGE




INTRODUCTION

INDULGING IN THE TRANCE OF WOODS!


Embrace the creative rush that these magnificent tiles offer, replicating nature's elegance and bringing its elements to life.





Behold your excitement as you unfold a bespoke ceramic artistry - WOODLOT COLLECTION, where nature meets sophistication. Immerse yourself in the warmth and character of real wood, artfully captured in these tiles. The rustic matte finish adds a touch of authenticity, creating a timeless and inviting atmosphere.


Elevate your space with the charm of wood without compromising on the durability and ease of maintenance that these ceramic excellence offer. Sunhearrt, through its Woodlot Collection, welcomes you to a world where classic aesthetics blend seamlessly with contemporary convenience, transforming your surroundings into a haven of style and comfort.



NURTURING WARM ARENAS

Enrich your space with the richness of nature and its elements brought to life through splendid tiles.





A DEEPER CONFLUENCE!

Redefine elegance in your space with tiles composed of 9mm thickness and a sleek format offering enhanced durability & strength.



Innovatively Designed

Now seamlessly decor your space with tiles that showcase innovative designs by replicating wood's natural and grainy textures.

Improved Features


With ease of maintenance and an authentic yet surreal look, these surfaces enhance the beauty of any applied area or space.

Intricate Details

The diversity of nature and its intricacy is well articulated on the tile's surface with details and distinction.

Higher Durability

The high-end surface with durable thickness offers resilience & raw elegance to varied settings.



DYNAMIC FINISHES FOR DYNAMIC SPACES

Finish Matt



The matt finish combines the warmth of natural wood aesthetics with a subdued, textured surface, imparting a charming and tactile appeal.

Finish Rustic



The rustic finish of meticulously crafted tiles adds a weathered and textured charm, replicating the authentic character of aged wood. This finish attributes a lived-in feel but also contributes to a unique and timeless atmosphere in any space.

These precisely crafted surfaces boast several noteworthy features like easy to clean, smooth texture, highly resistant and more. These tiles combine the warmth of natural wood aesthetics with practical benefits, making them a versatile and stylish choice for flooring. With myriad of decor possibilities, look no further to add elegance and excellence to your space.











Simply Amazing Detail

These effortlessly crafted ceramic pieces are simply amazing, merging the timeless allure of natural wood with the practical advantages of modern tiling.

Natural Finesse

These tiles exude natural finesse, capturing the essence of authentic wood with remarkable precision. Their natural appeal showcases exceptional attention to detail and design finesse.

Committed to Innovation

Pushing boundaries with cutting-edge designs and features that redefine traditional flooring aesthetics. With such masterpieces, we showcase a steadfast commitment to pioneering solutions in the world of interior design.

Limitless Creativity

These marvelously designed tiles open the door to limitless creativity, allowing for innovative and customizable designs that cater to diverse design preferences and styles.

VERSATILITY

We promise versatility in design, texture, pattern and perspectives. We provide everything in one place, ensuring you a seamless ceramic experience.

MORE SOFTNESS AND CLEANLINESS


Sunhearrt's wood-look surfaces from the Woodlot Collection boast modern aesthetics and enhanced features, making it ideal for myriad spaces. Applaud the tiles' sheer quality!


MORE HARMONY

We aim to surpass expectations by constantly creating masterpieces. These tiles are a testament to excellence that harmonizes with any decor style and mirrors your imagination.

SAME SURFACE, ENDLESS PURPOSES

Look no further for versatile applicability as you unfold this magnificent all-in-one surface to match your vibe, vision, and imagination. These tiles create a surreal feeling by surrounding your space with nature's elegance.





finish: matt



bostan brown



bostan brown

finish: matt



finish: matt



bostan sandal



bostan sandal

finish: matt



finish: matt



ebony brown





acacia grey





acacia natural





dense natural



random: 7 faces



legno natural





oak grey





rustwood





alba brown





angles apex



angeles apex

finish: rustic





angles zenith



angeles zenith

finish: rustic





charm amber



charm ambar

finish: rustic





charm brown



charm brown

finish: rustic





charm cream





cork natural





cork teak





grain chocolate



grain chocholate





harmony amber



harmony ambar





hazel teak





kingwood beige



kingwood beige





kingwood brown



kingwood brown





kingwood zenith



kingwood zenith





lance wood





levis brown



levis brown





levis tobeco



levis tobeco





poplar wengue





roverwood natural



random: 6 faces

roverwood natural





roverwood pine



roverwood pine



finish: veneer



ashwood brown



finish: veneer



elsir cherry



random: 9 faces

finish: veneer



sapele brown



random: 6 faces

TECHNICAL SPECIFICATION FOR GVT / PGVT

511. NO.	CHARACTERISTICS	IS 15622:2017 GROUP BIA E ≤ 0.08	ISO 13006:2018 GROUP BIA EV ≤ 0.5 %	EN 14411:2016 GROUP BIA EV ≤ 0.5 %	TEST METHOD	SUNHEARRT VALUE
A-	DIMENSION & SURFACE	QUALITY (WHICH E	VER IS LESS IS APP	LICABLE)		
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm		± 0.1%
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm		± 496
m	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm		± 0.1%
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm	l j	± 0.1%
v	Surface Flatness				ISO 10545 - 2	
а	Center Curvature (%)	(%) ± 0.5% ± 0.4% OR ± 1.8 mm ± 0.5 % OR ± 2.0 m		± 0.5 % OR ± 2.0 mm	IS 13630 (Part 1)	± 0.2 %
ь	Edge Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm		± 0.2 %
c	Corner Warpage (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	l i	± 0.2 %
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		Min. 95 % of tiles will be free from visible defects
В-	PHYSICAL PROPERTIES					
i	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	<0.5% Ind Max 0.6%	ISO 10545-3 IS 13630 (Part 2)	<0.08%
ii	Modulus Of Rupture [n/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Av 35, Individual 32 min	ISO 10545-4	>35
ii	Breaking Strength In N	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T	700 for < 7.5mm T 1300 for ≥ 7.5mm T	IS 13630 (Part 6)	>1300
iv	Moisture Expansion In Mm/m	0.02	0.06% /0.6mm/m	0.06% /0.6mm/m	ISO 10545-10 IS 13630 (Part 3)	Nil
Ì	Resistance To Abrasion Of Glazed Tiles (Class I To V)	Minimum Class II	Depending on surface (As reported)	Depending on surface (As reported)	ISO 10545-7 IS 13630 (Part 11)	Min Class 3 for PGVT
٧	Resistance To Deep Abrasion Of Unglazed Tiles (volume Removed In Mm²)	Max-140	Max -175	Max -175	ISO 10545-6 IS 13630 (Part 12)	
vi	Coefficient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	6 X 10 -6 K-1	9 X 10 -6 K-1 max	9 X 10 -6 K-1 max	ISO 10545-8 IS 13630 (Part 4)	6 X 10 -6 K-1 max
/ii	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	10 cycle min	ISO 10545-9 IS 13630 (Part 5)	10 cycle Passed
iii	Crazing Resistance	4 cycle	2 Cycle (@ 5 bar))	2 Cycle (@ 5 bar))	ISO 10545-11 IS 13630 (Part 9)	4 cycle passed
x	Frost Resistance	100 Cycle	Required	Required	ISO 10545-12 IS 13630 (Part-10)	Passed
x	Impact Resistance	0.55	0.55	0.55	ISO 10545-5 IS 13630 (Part 14)	>0.55
ci	Bulk Density	Min 2.2			ISO 10545-3 IS 13630 (Part 2)	2.2 gm/cc.min
c-	CHEMICAL PROPERTIES			W		
i	Stain Resistance	Min Class I	Min Class 3	Min Class 3	ISO 10545-14 IS 13630 (Part 8)	Class 3 (as per ISO)
ii	Resistance To Household Chemicals	Class AA	Min Class B	Min Class B	ISO 10545-13 IS 13630 (Part 8)	Class A(AS per ISO)
m	Resistance To Acid And Alkalies		Decleared Value	Decleared Value	ISO 10545-13 IS 13630 (Part 8)	Class A

PACKING DETAILS

SIZE	PIECES / BOX	COVERAGE	WEIGHT / BOX	
20x120cm	5	17.12 sq. ft.	1.20 sq. mtr	28 Kg (approx)



CORPORATE OFFICE (AHMEDABAD)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054, Gujarat, INDIA T. +91-79-29704833, +91-79-61554444 | E. info@sunhearrt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) T. +91-99099 80498 | E. showroomt.mh@sunhearrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015 T. +91-95120 00324 E. showroomt.dlesunhearrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) T. +91-95120 00270 | E. showroomtka@sunhearrt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165, Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu) T. +91-70944 39491 | E. showroom2trwsunhearrt.com

COCHIN OFFICE

1/15-1, Pushpmangaiam Estate, Nr. Bhima Jewellery, NH Bye pass, Edappally, Cochin - 682024 (Kerala) T. +91-74339 70981 | E. showroomtklesunhearrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunhearrt.com

TOLL FREE: 1800 233 1012

E. info@sunhearrt.com | www.sunhearrt.com















