

120x180cm | 80x160cm | 60x120cm


GVT & PGVT



PROZZO[®]

COLLECTION



The background of the entire page is a black and white marbled pattern, resembling natural stone or marble. The veins are dark and irregular, flowing across the light-colored background.

**SURFACES
ARE THE PICTURE
WINDOWS THAT
OPENS GRANDEUR
IN YOUR SPACES.**

Designed exclusively for
'WINDORA' and 'SPACERA' dealers' segments.

PROZZO
INSPIRATION

UNFASTEN THE
SURREALITY OF
NATURE AND SPILL IT
INTO YOUR SPACES
SEAMLESSLY TO
EVOLVE THEM
RUMINATIVE OF
NATURE'S FLAIR
FOR ART.



PREDICATE NEW
STANDARDS OF
LUXURIOUS
LIVING AND LET
OPULENCE
GOVERN YOUR
SPACES.

COLLECTION INTRODUCTION

The Prozzo Collection in all-new designs and sizes embraces the opulent charm of minimalistic ornamentation to present your spaces with sartorial elegance. The surfaces transform them into a luxurious treat with the surreality of subtle shades and distinctive sumptuousness that seamlessly blends into your spaces.

The subtle and lavish excellence of these surfaces are available in an ultra-luxurious finish and in multiple formats for customized spaces oozing exceptional luxury and brilliance for refined interior style and elegance.




Sizes

120x180cm, 80x160cm
60x120cm

Surface

Glossy





PROZZO® COLLECTION

REDEFINING STANDARDS OF LUXURY AND ELEGANCE

At Simpolo, we focus on understanding the new product requirements. To know your product needs is an integral part of our development process.

'PROZZO' collection offers some of the most exquisite and trendy marble designs that will leave you in awe. Whether you choose from a warm colour family, cold or neutral, 'PROZZO' will not let you down while making your selection. The beautiful glossy finish, which brings out the unmatched design definitions, adds to the charm of these luxurious marble designs.

All these marbles are created in three sizes to make the collection versatile - 120x180, 80x160 and 60x120 cm. Along with random marbles, we have developed 'Endless' designs to add the grandeur to your spaces.



Floor : Statuario Royale
Size : 120x180cm
Surface : Glossy



Floor : Statuario Fame
Size : 120x180cm
Surface : Glossy



STATUARIO ROYALE



		
120x 180cm	80x 160cm	60x 120cm
Random 4	Random 6	Random 9

Surface - Glossy



Scan for Virtual
360°



STATUARIO FAME



		
120x 180cm	80x 160cm	60x 120cm
Random 4	Random 5	Random 8

Surface - Glossy



Scan for Virtual
360°

Simpolo Ceramics



PROZZO
COLLECTION

Floor : Cosmos White
Size : 120x180cm
Surface : Glossy



ORO BIANCO



		
120x 180cm	80x 160cm	60x 120cm
Random 5	Random 5	Random 10

Surface - Glossy



Scan for Virtual
360°



COSMOS WHITE



		
120x 180cm	80x 160cm	60x 120cm
Random 3	Random 4	Random 8

Surface - Glossy



Scan for Virtual
360°

Simpolo Ceramics





Floor : Bottochino Taupe
Size : 120x180cm
Surface : Glossy



CRYSTALO CREAM



120x
180cm
Random
4

80x
160cm
Random
5

60x
120cm
Random
11

Surface - Glossy



Scan for Virtual
360°



BOTTOCHINO TAUPE



120x
180cm
Random
4

80x
160cm
Random
5

60x
120cm
Random
13

Surface - Glossy



Scan for Virtual
360°

Simpolo Ceramics



Floor : Burberry Fuse
Size : 120x180cm
Surface : Glossy

PROZZO
COLLECTION



Floor : Essence Grey
Size : 120x180cm
Surface : Glossy

PROZZO
COLLECTION



BURBERRY FUSE



		
120x 180cm	80x 160cm	60x 120cm
Random 4	Random 7	Random 8

Surface - Glossy



Scan for Virtual
360°



ESSENCE GREY



		
120x 180cm	80x 160cm	60x 120cm
Random 3	Random 6	Random 11

Surface - Glossy



Scan for Virtual
360°

Simpolo Ceramics





Floor : Onyx White
Size : 120x180cm
Surface : Glossy



Floor : Pearl Bianco
Size : 120x180cm
Surface : Glossy



ONYX WHITE





Surface - Glossy



Scan for Virtual
360°



PEARL BIANCO



Surface - Glossy



Scan for Virtual
360°

Simpolo Ceramics






Floor : Arbescato Oro Endless
Size : 120x180cm
Surface : Glossy



ARBESCATO ORO ENDLESS



(Three Piece Endless)



120x
180cm

Random
3



80x
160cm

Random
4



60x
120cm

Random
4

Surface - Glossy



Scan for Virtual
360°



JOINT
TOLERANCE
5-8mm



INSTALL TILES
AS PER MARKED
ARROW

Simpolo Ceramics



PROZZO
COLLECTION



Floor : Ottimo Beige Endless
Size : 120x180cm
Surface : Glossy



OTTIMO BEIGE ENDLESS



(Three Piece Endless)



120x
180cm

Random
3



80x
160cm

Random
4



60x
120cm

Random
4

Surface - Glossy



Scan for Virtual
360°



JOINT
TOLERANCE
5-8mm



INSTALL TILES
AS PER MARKED
ARROW

Simpolo Ceramics



Floor : Brescia Elite Endless
Size : 120x180cm
Surface : Glossy




Floor : Brescia Elite
Size : 120x180cm
Surface : Glossy



BRESCIA ELITE ENDLESS



(Three Piece Endless)



120x
180cm
Random
3
80x
160cm
Random
4
60x
120cm
Random
4

Surface - Glossy



Scan for Virtual
360°



JOINT
TOLERANCE
5-8mm



INSTALL TILES
AS PER MARKED
ARROW

Simpolo Ceramics



Floor : Emperador Dove Endless
Size : 120x180cm
Surface : Glossy


PROZZO
COLLECTION



Floor : Emperador Dove Endless
Size : 120x180cm
Surface : Glossy



EMPERADOR DOVE ENDLESS



(Four Piece Endless)

120x 180cm	80x 160cm	60x 120cm
Random 4	Random 4	Random 4

Surface - Glossy



Scan for Virtual
360°



JOINT
TOLERANCE
5-8mm



INSTALL TILES
AS PER MARKED
ARROW

Simpolo Ceramics




Floor : Breeze Grey Endless
Size : 120x180cm
Surface : Glossy

PROZZO
COLLECTION

Floor : Breeze Grey
Size : 120x180cm
Surface : Glossy



BREEZE GREY ENDLESS



(Three Piece Endless)



120x
180cm

Random
3



80x
160cm

Random
3



60x
120cm

Random
3

Surface - Glossy



Scan for Virtual
360°



JOINT
TOLERANCE
5-8mm



INSTALL TILES
AS PER MARKED
ARROW

Simpolo Ceramics

TECHNICAL DETAIL

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/IS 13630-1	±0.10 %
Deviation in Thickness	±5.0 % (±0.50 mm)	±5.0 %	ISO 10545-2/IS 13630-1	±5.0 %
Straightness in Side	±0.30 % (±0.80 mm)	±0.10 %	ISO 10545-2/IS 13630-1	±0.10 %
Rectangularity	±0.30 % (±1.50 mm)	±0.10 %	ISO 10545-2/IS 13630-1	±0.10 %
Surface Flatness Central Curvature	±0.40 % (±1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	±0.20 %
Surface Flatness Edge Curvature	±0.40 % (±1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	±0.20 %
Surface Flatness Warpage	±0.40 % (±1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	±0.10 %
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≥ 90
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	15 ≤ Gloss Value ≤ 25
Glossiness (Matt/CRV)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	7 ≤ Gloss Value ≤ 18
Glossiness @ Value) ##	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≤ 7
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	ISO 10545-3/IS 13630-2	≤0.080 %
Bulk Density	As per Manufacturer	Min. 2.20 g/cc	ISO 10545-3/IS 13630-2	> 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4/IS 13630-6	Min. 37.0 N/mm²
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/IS 13630-6	Min 1500.0 N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/IS 13630-13	Polished Min 4**/Satin, Posh & Matt,CRV Min 6
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Polished Min II**/Satin, Posh & Matt,CRV Min III
Thermal Hygrometric Properties				
Moisture Expansion	Max. 0.06% (0.6 mm/m)	Max. 0.02 mm/m	ISO 10545-10/IS 13630-3	Max. 0.02 mm/m
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4	Max. 6.0 x 10-6
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	4 Cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class I	ISO 10545-14/IS 13630-8	Min. Class 4/Min. Class I
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class G8	Min Class AA	ISO 10545-13/IS 13630-8	Min Class G8/Min Class AA
Resistance to Low Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-8	Min Class GLB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-7	Min Class GH8***/ Min Class A***
Safety Properties				
Skid Resistance -(DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	BS 7976-2	Glossy ≥P0, Satin, Posh ≥P1 Matt/CRV ≥P2
Slip Resistance -Satin/Posh/ Matt/CRV (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	R9 to R13
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb & Cd

* Whichever is Lower
 ** With nano technology (Polished Vitrified Tiles) Depending on Application area (low or high intensity of traffic)
 *** Except Hydrofluoric Acid & it's compound
 # Tiles intended for use on floor
 ## For Floor tiles, as per customer requirement

PACKING DETAIL

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
PROZZO	120x180cm	1200x1800mm	9mm	2 pcs.	4.32 sq. mtr.	46.50 sq. ft.
	80x160cm	798x1598mm	8.5mm	2 pcs.	2.55 sq. mtr.	27.45 sq. ft.
	60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr.	23.25 sq. ft.

RECOMMENDED TOOLS

HANDLING EQUIPMENT



Single & Double Suction Cups



Aluminium Parallel Profile with Crossbars



Suction Vacuum Suction Cups with Vacuum Gauge



Tile Cart Trolley



Modular Work Bench

INSTALLATION & LEVELLING EQUIPMENT



Clips, Wedges & Adjustable Pliers for Wall and Floor Covering



Tile Spacers



Electric Cement Low-speed Mixer



Rubber Grout Floats



Slant Ridge Notched Trowel



ANTI-SHOCK Levels

SLAB CUTTING EQUIPMENT



Slab Cutter System



Cutting o Pliers for Slabs



Diamond Polishing Pad

Note: For each slab, there will be multiple random faces with diereent graphic designs of the same genre.
 For best results of fixing slabs of any size/format, across any application, please refer to the Technical Manual in this catalogue.

COMMONLY AFFECTED STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOUR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOUR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICKS	WET COTTON CLOTH	HYDROGEN PEROXIDE/HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTARD OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC			
1	DAL	WET COTTON CLOTH	CITRIC ACID/NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLI	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
8	CHILLI SAUCE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CIGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHLORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHYLNE BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/HYDROCHLORIC ACID
12	IODINE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VARNISH	WET COTTON CLOTH	ACETONE#/TURPENTINE#



SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm² (granite is 13.8N/mm²), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (< 0.06%) whereas in case of granite, it is 0.15%.



STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

INSTALLATION PROCESS FOR SIMPOLO



HANDLING

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 120x180cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended, however, it has to be equipped with following fork details.

- Minimum length of 12m if the crates are handled resting on the long side.
- Minimum length of 2.1m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



BLACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3mm, measured using a 2m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

- It should be according to BS 8204-1-2003 or DIN 18560 standards.



LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TEST) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.

- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
- On structural connections (structural joints)
- Between the wall and the floor (perimeter joints)
- Between one tile and another (laying joints or gaps)
- Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood)

- A 2mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 1188x2398mm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaied tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though. In the event, you should still test the effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

SIMPOLO EXPERIENCE CENTER / GALLERY / SHOPEE

GOA (Nuvem)

SIMPOLO EXPERIENCE CENTER
S. No. 223,
Beside kunda Suzuki, Old NH 17,
Nuvem Salcete, Goa - 403 604
Mob.: +91 95298 50441

AMRITSAR

THE INDIAN MARBLE & GRANITE
Shop No. 8 Rangit Ave E block Market
Opp. Chinmayya Mandhir,
Punjab - 143 001.
Mob.: +91 98552 03533

BHAVNAGAR

H. F. INTERIORSS
Plot No.36, "Anjaney", Ground Floor,
Beside D.B. Bath, Nr. Kaliyabid Water Tank,
Opp. Victoria Park, Bhavnagar.
Tele.: +91 278 2560215 / 16
Mob.: +91 99099 93244

BHUBANESWAR

CERAMIC WORLD
602, Rosulgra, Opp. Kuchies Market,
Cuttack Road, Bhubaneswar.
Mob.: +91 92384 99102

CHIKHLI

PRUTHVI ENTERPRISE
Chikhi Bilmora Road,
Chikhi, Dist. Navsari.
Tele.: +91 2634 231200
Mob.: +91 98251 79455

COIMBATORE

DESIGN ELEMENTS
No 84, West Sambandham Road,
R.S Puram, Tamil Nadu Coimbatore - 641 002.
Mob.: +91 93600 40285, 99441 34364

GANDHIDHAM

SIMPOLO GALLERY
Sec., I-A, Plot 91, First Floor,
Gandhidham, Kutch.
Mob.: +91 94267 37808

HISAR

SHRI RAM TILES & SANITARYWARE
Pili Nagar, Balsamand Road,
Opp. Nagar Nigam, Hisar (Haryana)
Mob.: +91 94162 44559, +91 94666 41718

HYDERABAD

CERAMIC INC.
HNO#4/70/37,
Adarsh Nagar, Nagole,
Secunderabad
Mob.: +91 93464 64191

JAIPUR

SIMPOLO GOLDEN WINGS TILE SQUARE
12, dharam nagar,
gopalpura bypass,
Jaipur, Rajasthan.
Mob.: +91 89555 94647

JALANDHAR

SIMPOLO GALLERY
Near Shaheed Babu Loh Singh Nagar,
Jalandhar - 144 001
Mob.: 94170 89000

KOLHAPUR

CHANDWANI CERAMIC
Opp. Hotel Shivlora,
Kolhapur Sangli Road
Shivoli Plot No.65/6, Shivoli,
Mob.: +91 98220 42900

AGRA

ARAVALI CERAMICS COMPANY
(SIMPOLO GALLERY)
NH. 2, Mouja Kuberpur,
Near Reliance Petrol Pump,
Tehsil Elmadpur, Agra,
Mob.: +91 99971 77711

BANGALORE

SIMPOLO GALLERY
#79 /1 & 144 /1-9, Kalkere Main Road,
Haramavu Village, Bangalore - 560 043.
Tele.: +91 80 43007001, 43007002
Mob.: +91 99002 31333

BHILWARA

HINDUSTAN CERAMIC DISTRIBUTORS
Shop No - 12, 13 Surbhi Enclave
Opp. Gaytri Mandir Ashram Ajmer Road,
Bhilwara.
Mob.: +91 98290 40088

CHANDIGARH (Zirakpur)

New Tile World
Zirakpur Patiala Road,
Zirakpur (Mohali)
Mob.: +91 77174 58683

COCHIN

SIMPOLO GALLERY
33/2380 A-A1, NH Bypass,
Vyasoli Bus Stop, Chakkraparambu,
Cochin - 682 032.
Mob.: +91 93493 39938

DEHRADUN

AARAMBH CERAMICS
#241/2, First Floor, GMS Road,
Near Ballapur Chowk, Salya Vihar Ballapur,
Dehradun, Uttarakhand - 248 006.
Mob.: +91 72520 02000

GORAKHPUR

SRIRAM TILES
Lahiri Building, Bank Road,
Gorakhpur - 273 001
Mob.: +91 94152 12082

HUBLI

KOLIWAD MARBLE AND GRANITE
Near Manickbag Showroom,
P.B. Road, Vidhyanagar,
Hubli.
Tele.: +91 836 2372580 / 4252580

HARYANA

GOEL SANITARY AND HARDWARE HOUSE
Kali Mandi, Jhajjar Road,
Rohla (Haryana).
Mob.: +91 92543 59864, +91 85277 21721

JAORA

SHUBH MARBLE AND GRANITE,
30, Industrial Area,
Jaora (M.P.).
Mob.: +91 98275 62933

KAKINADA

OME AGENCIES
#69-12-29/1, Near Spencer's S,
Pillhapuram Road,
Kakinada - 533 005.
Mob.: +91 95533 00022

KOLHAPUR

HINDUSTAN CERAMICS
Laxmi puri,
Opp. Adarsha Bhima Vastram,
Kolhapur.
Mob.: +91 99704 42244

AHMEDABAD

SIMPOLO GALLERY
First floor, 103, Sumel - 2,
Nr. Gurudwara, S.G. Highway,
Bodakdev, Ahmedabad - 54.
Mob.: +91 79 40037222

BARODA

SIMPOLO MARKETING
29, Dhanlaxmi Complex,
Opp. Manglaya Hall, Near Airport Char Rasta,
Harni Road, Baroda.
Mob.: +91 98791 60603, 9974960603

BHOPAL

SHRI GORAJI MARBLE
Plot No 91 - A,
Airport Main Road,
Near SBI Bank, Bhopal.
Mob.: +91 84629 40479, +91 81093 44201

CHENNAI

L.K. CLASSIVA
867, Poonamallee High Road,
Opp. Kilpauk Police Station,
Before Sangam Theatre
Kilpauk, Chennai - 600 010.
Mob.: +91 98404 61888, +91 99402 52706

CUTTACK

CERAMIC SALES CORPORATION
Plot No.1650/2792,
Gopalpur, NH - 5,
Cuttack - 753 001.
Mob.: +91 92384 99114

DHULIYA

VIRAJ CERAMICS
87/6, Opp. Hotel Sheetal,
Parola Road, Balapur,
Dhule - 424 001.
Mob.: +91 98501 80401

HIMMATNAGAR

CERAMIC GALLERY
Sankalp Complex, Samlaji Highway,
Near Collage, Molupura,
Himmatnagar.
Mob.: +91 99798 93772, +91 99798 75772

HYDERABAD

CERAMIC INC.
Solanki Plaza, 8-2-293/K/307,
Kamalapuri Colony, Opp. Green Bawarchi Hotel,
Hyderabad - 500 073,
Mob.: +91 93464 64191

INDORE

PARAG
Race Course Road,
Indore.
Fax: +91 731 2547598
Tele.: +91 731 2535659 / 60

JODHPUR

SUN - DEEP TILES
E-73, Kaplari Shopping Center,
Shastri Nagar,
Jodhpur - 342 001.
Mob.: +91 96720 11000

KALABURAGI

SIMPOLO
S B Patil Nagar,
Chandrakani Patil School Area,
Sedam Main Road, Kalaburagi - 585 105
Mob.: +91 89709 41000

KOLKATA

SIMPOLO GALLERY
Ground Floor, D.B.52,
Salt Lake City, Sector 1,
Kolkata - 700 064.
Mob.: +91 90733 53728

KOTA

AASHYANA
285 Cm Tower Shopping Center,
Kota 324007, Rajasthan
Mob.: +91 98299 99937

MIRZAPUR (UP)

SIMPOLO GALLERY
Bellar,Mirzapur - 231 001, (UP)
Mob.: 99195 66556

NAGPUR

NATURAL CERAMIC
Municipal House 3163/a/388,
Hwarai Nagar Layout, Nagpur,
Maharashtra - 440 008.
Mob.: +91 73878 37332, +91 94236 80788

NEEMUCH (MP)

CAPTAIN TILES CENTER
425, Scheme No. 36-A, Opp. Collector Office,
Neemuch, Madhyapradesh.
Mob.: +91 98980 60635
Email: captaintiles@yahoo.in

NEW DELHI

TECHNOSTONE
D-12, Rajouri Garden,
Main Ring Road, New Delhi - 110 027
Mob.: +91 98104 24718

PUNE

SRI PARAM MARKETING
Vasanti Vaslu, Ground Floor,
Near Saubhagya Mangal Karyalay,
Near City International School,
Maharshi Nagar, Pune - 37.
Mob.: +91 90280 11200 / 300

PANIPAT (HARYANA)

SHREE GOPAL MARBLE AND GRANITE
Marble Market,Ugra Khedi,Sanoli Road,
Panipat - 132 103, Haryana
Mob.: 98964 15757

RAJKOT

SIMPOLO GALLERY
Govardhan Society, Opp. Hill Burg App.,
Near Golden Super Market,
Vidhyakunj Main Road, Rajkot.
Mob.: +91 78744 74448

SANGLI

VARDHMAN ENTERPRISE
213, Sangli Kolhapur Road,
Opp. Hyundai Showroom, Sangli-Arikali.
Tele.: +91 233 2422022 / 20
Mob.: +91 90110 93588, +91 89830 93588

SILIGURI

KLASSY STONES
Klassy Stones Beside Tadium,
Eastern Bypass, Siliguri
Mob.: +91 94340 81818, 97333 76666

THRISSUR

CLASSIC SANITARY EMPORIUM
Br. Classic Buldware,
11 / 479-A, Kottathumpady,
Ilirjalakuda, Thrissur, Kerala.
Mob.: +91 98472 10693

TRICHY

SHRI RANGA AGENCIES
Shri Ranga Towers,
No. 9, Royal Road,
Conloment, Trichy.
Tele.: +91 431 2415751

UNA

AGGARWAL HOME SOLUTIONS
Village Bharolian Khurd Opp. P.M.R. Hotel,
Nangal Road, Una - 174 303.
Mob.: +91 98053 01111

KAITHAL

CHAUDHARY SANITARY & TILES
Cheeka Road,Bye Pass
Kaithal - 136 027
Mob.: 99921 11033

MOHALI

SIMPOLO GALLERY
Plot No - 411,
JPL Sector 82, Mohali
Mob.: +91 77174 58683

NAGPUR

MAYUR TILES
Plot No 20A,
Sardar Patel Timber Market,
Main Road,Ghatroad Nagpur - 440 003
Mob.: +91 88888 27448

NEPAL

JJ MARBLE HOUSE
G.P.O Box No. 56,
14/389, Tokha Road,
Kalthimandu, Nepal.
Tele.: +977 14381218

NOIDA

SIMPOLO VITRIFIED PVT.LTD
H.139, First Floor,
Sector-63 Noida,
Uttar Pradesh - 201 301
Tele.: +91 72270 21894

PUNE

STONE CAPITAL BY BHIKSHU GRANMART LLP
Mula Road, Khadi, Pune,
Maharashtra - 411 003
Mob.: +91 96076 30707

PATNA

SURAJ GRANITE
New Bypass Road,
Near Beur More Anishabad, Patna
Mob.: +91 93869 04999, 96084 13622, 90656 10244

RANCHI

PINK CITY MARBLE
Piska More, Ratu Road,
Ranchi - 834 005.
Mob.: +91 94313 51883, +91 94311 70475

SATNA

MAHALAXMI TILES
Gandhi Chowk,
Satna, (M.P.)
Mob.: +91 94247 62988

SIRSA

Deepak Marbles
Suratgarh Bazar,
Sirsa.
Mob.: +91 98961 00032

TIRUPUR

NANDHI PIPES
No.39, Vignesh Nagar, Kallakipudur,
Tirupur Main Road, Avinashi - 641 654.
Tele.: +91 4296 275740
Mob.: +91 94432 83885

TRICHY

AVTHAR CERAMICS
No.1, New Chilara Nagar,
Trichy to Chennai bye pass, Road
Trichy - 2.
Mob.: +91 75400 00186

VELLORE

SIMPOLO GALLERY
1/696, Chennai to Bangalore NH 48,
Near ramani Shankar Mahal,
Arappakkam, Vellore - 632 517.
Mob.: +91 94433 25855

MUMBAI

SIMPOLO GALLERY
Unit No.: 203, 2nd Floor, Marya Land Mark 2,
Near Infinity Mall, Link Road,
Andheri (W), Mumbai - 400 053
Tele.: +91 22 40167131

NAGAUR

WELCOME TILES AND SANITARY
Basni Road, Nagaur - 341 001,
Rajasthan
Mob.: +91 97840 32045, 988758 7715

NASHIK

THE CERAMIC STUDIO
Shop No.18, Business Bay,
Sheihari Kule Marg, Tidke Colony,
Mumbai Naka, Nashik - 422 002.
Mob.: +91 88477 88888

NEW DELHI

TECHNO STONE
Khara No. 12, Fatehpur Beri,
Challarpur Mandir Road,
Opp. Narayani Devi Charitable Dispnsary &
Canara Bank, New Delhi - 110 074.
Tele.: +91 11 65456660

PALAKKAD

M/S. K A V. SHAIK ROWTHER
31/671 Market Road,
Palakkad - 678 014,
Kerala.
Tele.: +91 491 2502301, 2537771

PANCHKULA

CITY MARBLES
Plot No-126, Industrial Area Phase-I
Panchkula - 134 109
Mob.: 94171 71835

RAIPUR

HOME STYLE & DECOR PVT. LTD.
Beside NH MMI Hospital,
Opp. Manuli Herilodge, Dhamtari Road,
Raipur - 492 001 (C.G)
Mob.: +91 98266 41666

REWA

SANJAY TILES HOUSE
Opp. New Bus stand,
Near uppul, Malas, NH-7,
Rewa - 123 401, Madhya Pradesh
Mob.: +91 98270 76504

SILIGURI

S.S. SANITATION
Mital Square, 2nd Floor,
Opp. Anandalake Nursing Home,
Sevoke Road, Siliguri - 734001 (W.B)
Mob.: +91 94340 27755

SURAT

SIMPOLO GALLERY
105-106, 1st Floor, Sapphire Business Hub,
Opp. Green Arcade,
Madhuvan Circle to Green City Road,
L.P. Savani Road, Pal. Adajan, Surat - 395 009
Mob.: +91 99796 18009, Tele.: +91 261 2760787

TIRUPUR

KAILAS TRADERS
4/193(1), Bharathi Nagar,
Veerapapandi (po), Palladam Road,
Tirupur - 641 605.
Mob.: +91 98941 34340

TRIVANDRUM (Kerala)

TARA SANITARY WARES AND TILES
Goodwill Tower, Pallam Plamaody Road,
Pallam, Trivandrum, Kerala - 695 004.
Mob.: +91 94470 55212

VIRAR

INFINITI CERAMICA PRIVATE LIMITED
210-211, 2nd Floor,
Kingston Court Opp. Old Viva College,
Old Viva College Road, Virar West - 401 303.
Mob.: +91 93204 07010



Simpolo Vitrified Private Limited

Old Ghuntu Road, MORBI - 363 642, Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA

Ground Floor, DB - 52, Salt Lake City, Sector 1, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

TILES & SANITARYWARE

www.simpolo.net | Toll Free No.: 1800-233-2223
Mo.: +91 72289 22222