


OTTIMO™

COLLECTION



1200x1800mm-9mm | 798x1598mm-9mm



OTTIMO
COLLECTION

26 COLORS
STRONGX (MATT), PGVT (GLOSSY) &
PAPER MATT SURFACES
IN
1200x1800mm, 798x1598mm
9mm THICKNESS

**AN ASSORTMENT OF CERAMIC
EXCELLENCE FOR URBAN SETTINGS**

Introducing an exquisite assortment of ceramic excellence tailored to elevate urban living spaces featuring two new revolutionary surfaces - Glossy, Paper Matt, and Strongx Surfaces delivering exactly what their names promise. Each surface is meticulously designed to meet the demands of modern living and their aesthetic needs.

Whether you seek the timeless allure of classic designs or the contemporary appeal of cutting-edge patterns, the Ottimo Collection with exquisite surfaces has something to suit every style and preference. The diverse range encompasses a multitude of styles, sizes, and finishes, offering you an unparalleled selection for your design aspirations.

Designed exclusively for
'SPACERA' and 'WINDORA' dealers' segments.

OTTIMO
COLLECTION

PAPER MATT SURFACE

EXPERIENCE THE BEAUTY & INNOVATION
OF NON-REFLECTIVE SURFACE

The all-new and innovative Paper Matt Surface of the Ottimo Collection from the house of Simpolo as the name suggests is characterized by its smooth, non-reflective texture that resembles the surface of a matt paper. This finish is designed for its ability to reduce glare and produce a soft, muted appearance, making it a preferred

choice. The finish offers a visual appeal and tactile experience with practical benefits. It minimizes fingerprints and smudges, enhancing durability and longevity additionally, it can improve aesthetics reducing the interference of harsh light reflections.



Linear thermal expansion



Stain resistance



Chemical resistance



Robinson floor tested



Thermal conductivity



Design Randomness



OTTIMO
COLLECTION

STRONGX

S U R F A C E

DISCOVER FORMIDABLE SURFACE UNEQUALLED IN STRENGTH

Strongx Surface is a strong and formidable surface that possesses exceptional durability, resilience, and strength, capable of withstanding various types of stress, wear, and external forces. The exclusive surface is engineered to endure harsh conditions and challenging environments,

making them highly reliable and long-lasting. In addition, the physical attributes of this formidable surface often convey a sense of security, stability, and trust in architectural design. They instill confidence and peace of mind in those who rely on them for safety and structural support.



Low water absorption



Modulus of rupture



Resistance to deep abrasion



Frost resistance




Slip resistance



Fire resistance

Strongx Surface by Simpolo is a ceramic creation that is exceptionally durable, scratch-resistant, super easy to clean and maintain, has no shine, and is ideal for various applications.



1) The top layer of the surface is scratch-resistant, has zero reflection & has a hardness rating of 8 on the Mohs scale.

2) The glaze of the surface lends it unparalleled aesthetics for versatile choice for various applications.

3) The tile body is made extremely durable with the finest raw materials & diligent processes involved in making.



CAFE

SPLINTO SILVER

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random **6**



798x1598mm
Random **6**

Scan for
360° Virtual



SPLINTO GREY

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random **6**



798x1598mm
Random **6**

Scan for
360° Virtual



SPLINTO CREAM

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random 6



798x1598mm
Random 6

Scan for
360° Virtual



SPLINTO BARLEY

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random 6



798x1598mm
Random 6

Scan for
360° Virtual





LIVING




Wall Resina Pearl / Size 798x1598mm / Surface Strongx (Matt)

Floor Resina Ash / Size 798x1598mm / Surface Strongx (Matt)

RO-
OM


RESINA PEARL

Surfaces - **Strongx (Matt)**
Thickness - **9mm**



RESINA ASH

Surfaces - **Strongx (Matt)**
Thickness - **9mm**



RESINA CREAM

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random **6**



798x1598mm
Random **6**

Scan for
360° Virtual



RESINA BARLEY

Surfaces - **Strongx (Matt)**
Thickness - **9mm**




1200x1800mm
Random **6**



798x1598mm
Random **6**

Scan for
360° Virtual




OTTIMO COLLECTION

RECEP-
TION

AR-
EA

Wall Stelo Blush / Size 1200x1800mm / Surface Strongx (Matt)

Floor Stelo Blush / Size 1200x1800mm / Surface Strongx (Matt)





KITCHEN

STELO BLUSH

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**

1200x1800mm
Random 5

798x1598mm
Random 10




ROCKBERRY CREAM

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**

1200x1800mm
Random 8

798x1598mm
Random 8





OTTIMO COLLECTION

CONFE-
RENCE

RO-
OM

TURKISH PEARL

Floor Turkish Pearl / Size 1200x1800mm / Surface Glossy



MASTER



Wall Siena Cream / Size 798x1598mm / Surface Strongx (Matt)

Floor Siena Cream / Size 798x1598mm / Surface Strongx (Matt)

BED-
ROOM

TURKISH PEARL

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm

1200x1800mm
Random 6

798x1598mm
Random 9




SIENA CREAM

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm

1200x1800mm
Random 8

798x1598mm
Random 8



CLOTHING



Floor Grey Wonder / Size 1200x1800mm / Surface Strongx (Mat)

STORE

OTTIMO COLLECTION





BATH RO- OM

Wall Silver Paradise / Size **798x1598mm** / Surface **Strongx (Matt)**

Floor Silver Paradise/ Size **798x1598mm** / Surface **Strongx (Matt)**

GREY WONDER

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**



1200x1800mm
Random 8



798x1598mm
Random 9

Scan for
360° Virtual



SILVER PARADISE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**



1200x1800mm
Random 8



798x1598mm
Random 8

Scan for
360° Virtual





SPA

Wall Pulpis Graphite / Size 1200x1800mm / Surface Strongx (Matt)



Floor Pulpis Graphite / Size 1200x1800mm / Surface Strongx (Matt)

CENTER

COCK- TAIL BAR



OTTIMO
COLLECTION

Wall Dove Italia / Size 1200x1800mm / Surface Strongx (Matt)

Floor Dove Italia / Size 1200x1800mm / Surface Strongx (Matt)


PULPIS GRAPHITE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**



DOVE ITALIA

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - **9mm**



Wall Carrara Vintage / Size 1200x1800mm / Surface Strongx (Matt)

OTTIMO COLLECTION

FASH-
ION

BOUTI-
QUE

Floor Carrara Vintage / Size 1200x1800mm / Surface Strongx (Matt)





BATHROOM

CARRARA VINTAGE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm



RIFLESSO WHITE

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm



OTTIMO COLLECTION

FIT-
NESS

CEN-
TER





DINING AREA

FANTACIA SAND

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm



1200x1800mm
Random 8



798x1598mm
Random 8

Scan for
360° Virtual



BRESCIA ROSA

Surfaces - **Strongx (Matt)**, PGVT (Glossy)
Thickness - 9mm




1200x1800mm
Random 6



798x1598mm
Random 7

Scan for
360° Virtual



GUEST

Wall Clear Onyx / Size 1200x1800mm / Surface Paper Matt



ROOM

Floor Clear Onyx / Size 1200x1800mm / Surface Paper Matt

OTTIMO COLLECTION





REST-
AUR
ANT

Wall **Pearl Beach** / Size 120x180cm / Surface **Paper Matt**

Floor **Pearl Beach** / Size 120x180cm / Surface **Paper Matt**

CLEAR ONYX

Surfaces - **Paper Matt**
Thickness - **9mm**

1200x1800mm
Random 10

798x1598mm
Random 10




PEARL BEACH

Surfaces - **Paper Matt**
Thickness - **9mm**

1200x1800mm
Random 8

798x1598mm
Random 10





COMMON



Floor Platinum Aurora / Size 1200x1800mm / Surface Paper Matt

ROOM

KIT- CHEN

OTTIMO
COLLECTION



Wall **Brescia Gold** / Size **1200x1800mm** / Surface **Paper Matt**

Floor **Brescia Gold** / Size **1200x1800mm** / Surface **Paper Matt**

PLATINUM AURORA

Surfaces - **Paper Matt**
Thickness - **9mm**



1200x1800mm
Random **6**



798x1598mm
Random **10**

Scan for
360° Virtual



BRESCIA GOLD

Surfaces - **Paper Matt**
Thickness - **9mm**



1200x1800mm
Random **8**



798x1598mm
Random **10**

Scan for
360° Virtual



Wall Rosseta Dove / Size 1200x1800mm / Surface Paper Matt

OTTIMO COLLECTION

HO-
TEL

RECE-
PTION

Floor Rosseta Dove / Size 1200x1800mm / Surface Paper Matt






TV FEATURE WALL

ROSSETA DOVE

Surfaces - **Paper Matt**
Thickness - **9mm**

1200x1800mm
Random 12

798x1598mm
Random 10



ITALIA COIN

Surfaces - **Paper Matt**
Thickness - **9mm**

1200x1800mm
Random 8

798x1598mm
Random 10



COMMONLY AFFECTED STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOUR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOUR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICKS	WET COTTON CLOTH	HYDROGEN PEROXIDE/HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTARD OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC			
1	DAL	WET COTTON CLOTH	CITRIC ACID/NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLI	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
8	CHILLI SAUCE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CIGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHYLENE BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/HYDROCHLORIC ACID
12	IODINE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VARNISH	WET COTTON CLOTH	ACETONE#/TURPENTINE#



SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm² (granite is 13.8N/mm²), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (> 0.06%) whereas in case of granite, it is 0.15%.



STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

INSTALLATION PROCESS FOR SIMPOLO



HANDLING

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:

- Minimum length of 1.2 m if the crates are handled resting on the long side.
- Minimum length of 2.1 m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



BLACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

- It should be according to BS 8204-1-2003 or DIN 18560 standards.



LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.

- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
- On structural connections (structural joints)
- Between the wall and the floor (perimeter joints)
- Between one tile and another (laying joints or gaps)
- Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).

- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 1198x2398mm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unglazed tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unglazed tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unglazed tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH > 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

TECHNICAL DETAIL
OTTIMO COLLECTION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/ IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	N.A.	> 90	Gloss Meter 60°
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/ IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/ IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm²	Min. 35.0 N/mm²	Min. 37.0 N/mm²	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 1500.0 N	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	Min 1000.0 N	ISO 10545-4/ IS 13630-6
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	Polished Posh, CRV, Matt StrongX 5 Min 6 Min 8 Min	BS EN 15771/ IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Posh, CRV, Matt StrongX Class II Min Class III Min Class IV Min	ISO 10545-7/IS 13630-11
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% [0.6 mm/m]	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3
Thermal Expansion [COE] at 100°C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/ IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5
Impact Resistance [COR] #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/ IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/ IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	6 Cycle	ISO 10545-11/ IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class I	Min. Class 4/Min. Class I	ISO 10545-14/ IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/ Min Class AA	ISO 10545-13/ IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/ IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/ IS 13630-7
Safety Properties				
Skid Resistance - (DCOF-Wet pendulum) ##	As per Manufacturer	As per Manufacturer	Polished : < 0.2 Matt : > 0.3 StrongX : > 0.4	ASTM E-303
Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	Posh, CRV, Matt : R9 - R10 StrongX : R10 R11 Surface : R11	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb &Cd	ISO-10545-15

* Whichever is Lower
*** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor
For Floor tiles, as per customer requirement

PACKING
DETAIL

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
Ottimo Collection	120x180cm	1200x1800mm	9mm	2 pcs.	4.32 sq. mtr.	46.50 sq. ft.
	80x160cm	798x1598mm	9mm	2 pcs.	2.55 sq. mtr.	27.45 sq. ft.

SIMPOLO EXPERIENCE CENTER /
GALLERY / SHOPEE

GOA (Nuvem)	AGRA	ADONI
SIMPOLO EXPERIENCE CENTER S. No. 223, Beside Kunde Suzuki, Old NH 17, Nuvem Salcete, Goa - 403 604. Mob.: +91 95298 50441	ARAVALI CERAMICS COMPANY (SIMPOLO GALLERY) NH 2, Mauja Kuberpur, Near Reliance Petrol Pump, Tehsil Elmadpur, Agra, Mob.: +91 99971 77711	SREE MANJUNATHA SWAMY AGENCIES Sy/No: 0554/1, Yemmiganur - Aspari Bypass Road, Kurnool Adoni - 518 301 (A.P) Mob.: +91 96527 66835
AMRITSAR	ANGAMALLY	BANGALORE
THE INDIAN MARBLE & GRANITE Shop No. 8 Ranjil, E Block Market Opp. Chinnaiyya Mandhir, Punjab - 143 001. Mob.: +91 98552 03533	SURABHI INNOVATION PVT. LTD. 437/5, Mc Road, Vengoor, Kidangoor P.o Enakulam Angamally - 683 572 (Kerala) Mob.: +91 48424 58127	SIMPOLO GALLERY #79 /1 & 144 /1-9, Kalkere Main Road, Haramavu Village, Bangalore - 560 043. Tele.: +91 80 43007001, 43007002 Mob.: +91 99002 31333
BAREILLY	BARODA	BARNALA
GANGA BATH DECOR Near Ta Care Hospital Stadium Road - Bareilly Mob.: +91 98370 50964, 96433 07851	SIMPOLO MARKETING 29, Dhanlaxmi Complex, Opp. Manglaya Hall, Near Airport Char Rasta, Harri Road, Baroda. Mob.: +91 98791 60603, 99989 51003	R K MARBLE HOUSE Near Bathinda T-Point, Dhanaula Road, Barnala, Punjab. Mob.: +91 98151 33046, 70091 59488
BATHINDA	BHAVNAGAR	BHILWARA
LOVELY BATH CONCEPT Opp.urang Cinema, Amrik Singh Road, Bathinda - 151 005. Mob.: +91 99882 78600	H.F. INTERIORS Plot No. 36, "Anjaney", Ground Floor, Beside D.B. Bath, Nr. Kalyabid Water Tank, Opp. Victoria Park, Bhavnagar. Tele.: +91 278 2560215 / 16 Mob.: +91 98252 06572	HINDUSTAN CERAMIC DISTRIBUTORS Shop No - 12, 13 Surbhi Enclave Opp. Gayatri Mandir Ashram, Ajmer Road, Bhilwara. Mob.: +91 98290 40088
BHIWANI	BHOPAL	BHUBANESWAR
SHIV GRANITES Tosham Bypass Road, Nearaoula Market, Bhiwani. Mob.: +91 98132 99980	SHREE GORAJI MARBLE Plot No. A-92, Indira Vihar Colony Air Port Road, Opp. Man Bhawan Talari, Nr. Sri Bank Singar Chali, Bhopal. Tele.: +91 755 4061756 Mob.: +91 93000 97470, 83193 69064	CERAMIC WORLD 602, Rasuigrah, Opp. Kochheli Market, Cuttack Road, Bhubaneswar. Mob.: +91 92384 99102
BIJAPUR	BILASPUR	CHANDIGARH (Zirakpur)
SIMPOLO GALLERY #201 Prakash Colony Solapur Road Bijapur - 586 103. Mob.: +91 75677 88838, 89709 41000.	AMAR ENTERPRISES Tilra Rajpur Road Bilaspur - 495 001 (C.G) Mob.: +91 90981 31666, 94063 51320	New Tile World Zirakpur Palinda Road, Zirakpur (Mohali) Mob.: +91 77174 58683
CHARKHI DADRI	CHENNAI	CHERUPUZHA - KANNUR
R & R TRADERS Rohlak Delhi Bypass Charkhi Dadri - 127 306. Mob.: +91 76692 20000	I. K. CLASSIVA 867, Poonamallee High Road, Opp. Kilpauk Police Station, Before Sangam Theatre Kilpauk, Chennai - 600 010. Mob.: +91 98404 61888, +91 99402 52706	C J BUILDWARE TILES AND SANITARY Cp 2/125 A9-A13, B13-B17, Cherupuzha, Kannur - 670 511. Mob.: +91 80869 44445
CHIKHLI	CHIKKAMAGALURU	COIMBATORE
PRUTHVI ENTERPRISE Chikhli Bilmora Road, Chikhli, Dist. Navsari. Tele.: +91 2634 231200 Mob.: +91 84602 31200	SIMPOLO GALLERY Opp:rail Girls Hostel, 2-11-15-44A, Kodava Samaja, Bypas Road , Kalyan Nagar, Chikmagalur, Karnataka - 577 102. Mob.: +91 81519 42000	DESIGN ELEMENTS No 84,West Sombandham Road, R.S Puram, Tamil Nadu Coimbatore - 641 002. Mob.: +91 93600 40285, 99441 34364
COIMBATORE	CUTTACK	DABWALI
APEX MARBLES AND GRANITES 369, Thadagam Road, KNG Pudur, Coimbatore - 641 025. Mob.: +91 93607 66533, 97877 60601	CERAMIC SALES CORPORATION Plot No.1650/2792, Gopalpur, NH - 5, Cuttack - 753 001. Mob.: +91 92384 99114	KESAR TRADING COMPANY Chaulaka Road, Near Bikaner Hospital Mandi Dabwali - 125 104 (Hry) Mob.: +91 89993 04444
DEHRADUN	DHULIYA	ERODE
AARAMBH CERAMICS #241/2, First Floor, GMS Road, Near Ballupur Chowk, Satya Vihar Ballupur, Dehradun, Uttarakhand - 248 006. Mob.: +91 72520 02000	VIJAJ CERAMICS 87/6, Opp. Hotel Sheetal, Paraka Road, Balapur, Dhule - 424 001. Mob.: +91 98501 80401	MAVERICK (TILE STUDIO) 5,Veppampalayam, Perundurai Road,Erode - 638 112. Mob.: +91 72000 05442
GANDHIDHAM	GORAKHPUR	GUWAHATI
SIMPOLO GALLERY Sec. 1-A, Plot 91, First Floor, Gandhidham, Kulch. Mob.: +91 94267 37808	SRIRAM TILES Lahiri Building, Bank Road, Gorakhpur - 273 001. Mob.: +91 94152 12082	PRP BUILDMART TRADERS PVT. LTD. PRP Nuva, 9th Mile, Opp. CRPF Camp, Baidua - 793 101, Guwahati, Meghalaya. Mob.: +91 70860 13443

HALDWANI

MARBLE CITY STORE
Near Vinilage Green, Rampur Road,
Halidwari, Nainital U.K - 263 139.
Mob.: +91 98370 67625, 84779 95370

HUBLI

KOLIWAD MARBLE AND GRANITE
Near Manickbag Showroom,
P.B. Road, Vidhyanagar, Hubli,
Tele.: +91 836 2372580, 4252580

ICHALKARANJI

SHREE TRADERS
Pujari Mala, Near Dr. Ailwade Hospital
Ichalkaranji - 416 115 (Kolhapur)
Mob.: +91 94224 21202

JAIPUR

SIMPOLO GOLDEN WINGS TILE SQUARE
12, Dharam Nagar,
Gopalpura Bypass,
Jaipur, Rajasthan.
Mob.: +91 89555 94647

JAMMU TOWN

JAI DURGA TRADURS
Govind Bihari Complex
Opp. Roadan Blu Narwal Chowk, Jammu.
Mob.: +91 98580 42475, 88030 00245

KAITHAL

CHAUDHARY SANITARY & TILES
Cheeka Road, Bye Pass
Kaithal - 136 027.
Mob.: +91 99921 11033

KARAD

HINDUSTAN CERAMICS
Laxmi Puri, Opp. Adarsha Bhima Vastram,
Kolhapur.
Mob.: +91 99704 42244

KOLHAPUR

DECOR
Timber Market Kolhapur City
Maharashtra - 416 012.
Mob.: +91 94225 14361

KOZHIKODE

SILVAN TILES GALLERY
Kozhikode Bypass,
Near Cyber Park Nellikkode - 673 016.
Mob.: +91 77363 01888

NAGOUR

WELCOME TILES AND SANITARY
Basni Road, Nagour - 341 001, Rajasthan.
Mob.: +91 97840 32045, 98875 87715

NAGOUR

OM ENTERPRISES
Plot No. 20A,
Sardar Patel Timber Market,
Main Road, Ghollroad Nagpur - 440 003.
Mob.: +91 88886 27448

HIMMATNAGAR

CERAMIC GALLERY
Near Kalak Mahindra Bank,
Sabar Dairy Al. Po, Hajipur,
Ahmedabad Highway, Himmatnagar - 383 001.
Mob.: +91 99798 93772,
99798 75772, 73838 94772

HYDERABAD

CERAMIC INC.
Solanki Plaza, 8-2-293/K/307,
Kamalapuri Colony, Opp. Green Bawarchi Hotel,
Hyderabad - 500 073.
Mob.: +91 93464 64191

INDORE

PARAG
12/4 Race Course Road, Indore.
Mob.: +91 82239 05083, 07312535659/ 60

JAIPUR

ALLIED AGENCIES
137, new Aashish Market,
Mansarovar, Jaipur,
Mob.: +91 94140 57548

JAORA

SHUBH MARBLE AND GRANITE,
30, Industrial Area,
Jaora (M.P.).
Mob.: +91 98275 62933

KAKINADA

OME AGENCIES
#69-12-29/1, Near Spencer'S,
Pillihapuram Road,
Kakinada - 533 005.
Mob.: +91 95533 00022

KAYAMKULAM

HHYS INFRAMOOD
Prathangamood, Kayamkulam - 690 502.
Mob.: +91 95674 37776

KOTA

AASHIYANA
285 CM Tower Shopping Center,
Kota - 324 007, Rajasthan,
Mob.: +91 98299 99937

MOGA

JAI BAJRANG BALI PAINT IND.
Amritsar Road, Vill Landehike,
Opp. Indian Oil Petrol Pump - Moga (Punjab)
Mob.: +91 86994 32562

NAGERCOIL

QUALITY MARBLES AND GRANITE
15-150 E2, TVM Main Road, Villukury (P.O)
Nagercoil, Kanyakumari - 629 180.
Mob.: +91 94896 00748, 99943 52589

NAMAKKAL

SRI LAKSHMI TILES MART
4/48-2, 4/48-3, Salem Main Road,
Sellapampallli, Namakkal, Tamilnadu - 637 019.
Mob.: +91 95006 66937

HISAR

SHRI RAM TILES & SANITARYWARE
Pilli Nagar, Balsamand Road,
Opp. Nagar Nigam, Hisar (Haryana)
Mob.: +91 94162 44559, +91 94666 41718

HYDERABAD

CERAMIC INC.
HNO#4/70/37,
Adarsh Nagar, Nagale,
Secunderabad.
Mob.: +91 93464 64191

JABALPUR

SHRI RAM MINERAL
Near Simplex Estate,
Nagpur Road, Jabalpur (MP) - 482 003.
Mob.: +91 88788 81111

JALANDHAR

SIMPOLO GALLERY
Near Shaheed Baba Lohb Singh Nagar,
Jalandhar - 144 001.
Mob.: +91 94170 89000

JODHPUR

SUN - DEEP TILES
E-73, Kalplaru Shopping Center,
Shastri Nagar,
Jodhpur - 342 001.
Mob.: +91 96720 11000

KALABURAGI

Simpola
Sy No. 81 & 82 S.B Patil Nagar
Chandrakant Patil School Area,
Sedam Main Road, Kalaburagi - 585 105.
Mob.: +91 89709 41000, 89708 41000.

KOLHAPUR

CHANDWANI CERAMIC
Opp. Hotel Shivrara,
Kolhapur Sangli Road,
Shirali Plot No.65/6, Shirali.
Mob.: +91 98220 42900

KOTTAYAM

COCHIN SANIWARES
MC Road, Perumthunthi, Thiruvalla, Kerala.
Mob.: +91 94476 61224

MOHALI

SIMPOLO GALLERY
Plot No. 411,
JPL Sector 82, Mohali.
Mob.: +91 98150 03751

NAGPUR

NATURAL CERAMIC
Municipal House 3163/A/388,
Hiwari Nagar Layout, Nagpur,
Maharashtra - 440 008.
Mob.: +91 73878 37332, 94236 80788

NARNAUL

SHIVA MARBLE
Near Lehoda Flyover, Mahendargarh Road,
Narnaul Mahendargarh, Haryana - 123 001.
Mob.: 94670 40093, 94680 36205

NASHIK

THE CERAMIC STUDIO
Shop No.18, Business Bay,
Shihari Kute Marg, Tidke Colony,
Mumbai Naka, Nashik - 422 002.
Mob.: +91 88477 88888

NEW DELHI

TECHNO STONE
Kharsa No. 12, Fatehpur Beri,
Challarpur Mandir Road,
Opp. Narayani Devi Charitable Dispnsary &
Canara Bank, New Delhi - 110 074.
Tele.: +91 11 65456660

PANCHKULA

CITY MARBLES
Plot No. 126, Industrial Area Phase-1,
Panchkula - 134 109.
Mob.: +91 94171 71835

PATNA

SURAJ GRANITE
New Bypass Road,
Near Beur More Anishabad, Patna.
Mob.: +91 93869 04999,
96084 13622, 90656 10244

PUNE

STONE CAPITAL BY BHIKSHU GRANMART LLP
Mula Road, Khadi, Pune,
Maharashtra - 411 003.
Mob.: +91 96076 30707

RATIA

GROVER MARBLE STORE
Fatehabad Road, Ratia
Haryana - 125 051.
Mob.: +91 98961 54268, 94663 34504

ROHTAK

GOEL SANITARY AND HARDWARE HOUSE
Kath Mandi, Jhajjar Road,
Rohtak (Haryana).
Mob.: +91 92543 59864, +91 85277 21721

SATNA

MAHALAXMI TILES
Near Khemai Mandir Ayoushaman,
Hospital Road, Dist. Satna, Pin. 485 001.
Mob.: +91 94247 62988

SILIGURI

S.S. SANITATION
Millal Square, 2nd Floor,
Opp. Anandaloke Nursing Home,
Sevoke Road, Siliguri - 734 001 (W.B)
Mob.: +91 94340 27755

SOLAPUR

TBK KRISHNA TILE BATH KITCHEN PVT. LTD.
Railway lines, CS No. 8397 / 7A / 2B1,
145/38, Old Employment Chowk,
Solapur - 413 007, Maharashtra.
Mob.: +91 94235 89779

SURAT

SIMPOLO GALLERY
105-106, 1st Floor, Sapphire Business Hub,
Opp. Green Arcade, Madhuvan Circle
To Green City Road, L.P. Savani Road,
Pat. Adajan, Surat - 395 009.
Mob.: +91 99796 18009,

NEEMUCH (MP)

CAPTAIN TILES CENTER
425, Scheme No. 36 - A, Opp. Collector Office,
Meemurch, Madhyapradesh.
Mob.: +91 98930 60635

NEW DELHI

TECHNOSTONE
D - 12, Rajouri Garden,
Main Ring Road, New Delhi - 110 027.
Mob.: +91 98104 24718

PANIPAT (HARYANA)

SHREE GOPAL MARBLE AND GRANITE
Marble Market, Ugra Kheri, Sonali Road,
Panipat - 132 103, Haryana.
Mob.: +91 98964 15757

PUNE

SRI PARAM MARKETING
Vasari Vashu, Ground Floor,
Near Southhagya Mangal Kanyalay,
Near City International School,
Maharshi Nagar, Pune - 37.
Mob.: +91 90280 11200 / 300

PUNE (CHINCHWAD)

SHREE CHAMUNDA STONES
S. No 19, Park, 1+2, Aakashganga Rd,
Near. Jagtap Dairy, Khatij Colony,
Jagtap Dairy, Kalewadi,
Pimpri - Chinchwad, Maharashtra - 411 017.
Mob.: +91 98811 18882

REWA

SANJAY TILES HOUSE
Opp. New Bus Stand,
Near Uppal, Molars, NH-7,
Rewa - 123 401, Madhya Pradesh
Mob.: +91 98270 76504

SAHARANPUR

WADHWA MARBLE & GRANITE TRADING CO.
292, ITC Road, Near Hasanpur Chungi
Saharanpur - 247 001.
Mob.: +91 94121 031502

SHIRUR

SHIRIRAM TILES
Near Vighnartha Hospital, Baburaonagar,
Pune - Nagar Bypass, Shirur Pune- 412 210.
Mob.: +91 98501 14721, 79725 62716

SILIGURI

SIMPOLO SHOPEE
Kassy Stones Besides Stadium
Eastern By Pass - Siliguri
Mob.: +91 94340 81818, 97333 76666

SONIPAT

M.K. MARBLE IND
Raildahan Road, ITI Chowk
Sonipat - 131 001.
Mob.: +91 9991902031/9416012185

TASGAON

AJANTHA TRADING COMPANY
Sangli Road, Opp. Datta Mandir,
Tasgaon, Dis - Sangli (Mh) 416 312.
Mob.: +91 7756043700, 9069983700

NEPAL

JJ MARBLE HOUSE
G.P.O Box No. 56, 14/389, Tokha Road,
Kathmandu, Nepal.
Tele.: +91 77 14381218

NOIDA (SEC-9)

BUILD MART
B-37, Ground Floor, Build Mart,
Sector-9, Noida
Mob.: +91 94160 60401

PATIALA

SAJOM SANITARYWARES
C-11 Ind.Area, Focal Point
Patiala Pin: 147 003.
Mob.: +91 98885 80000

PUNE

RANGOLI CERA TILES
S.no.40/1 Marble Market,
Pune - Mumbai By Pass,
Opp. Tala Motor Showroom
Ambegaon (K) Pune - 411 046, Maharashtra
Mob.: +91 98817 99799, 98223 72299

RAIPUR

UNIVERSAL PLUS
Near Kamal Vihar Gate,
New Dhamilai Road, Raipur - 492 001 (C.G)
Mob.: +91 98261 08200

REWARI

AMBICA BATH & STYLE
Dhafaki Road, Old Harinagar Bypass
Rewari - 123401 (HR)
Mob.: +91 99920 80807

SANGLI

VARDHMAN ENTERPRISE
213, Sangli Kolhapur Road,
Opp. Hyundai Showroom, Sangli - Ankuli,
Tele.: +91 233 2422022 / 20
Mob.: +91 90110 93588, 89830 93588

SHRIGONDA

SANKALP TRADERS
Mondavagan Road,
Shrigonda, Maharashtra - 413 701.
Mob.: +91 94202 07676

SIRSA

DEEPAK MARBLES
Suratgar Bazar, Sirsa.
Mob.: +91 98961 00032

SRI GANGANAGAR

SHREE DECOR
Ground Floor, Gupta Complex,
Sukhadiya Cir, Near Bharli Convent School,
Nagpal Colony, Sri Ganganagar,
Rajasthan - 335 001.
Mob.: +91 94140 94130, 94138 82130

THRISSUR

CITY CERAMICS
Althara Junction, Chéyyaram,
Thriassur, Kerala - 680 026.
Mob.: 98465 05800

TIRUPUR

NANDHI PIPES
No.39, Vignesh Nagar, Koikkattipudur,
Tirupur Main Road, Avinashi - 641 654.
Tele.: +91 4296 275740
Mob.: +91 94432 83885

TIRUPUR

KAILAS TRADERS
4/193(1), Bharathi Nagar,
Veerapandi (po), Palladam Road,
Tirupur - 641 605.
Mob.: +91 98941 34340

TRICHY

AVTHAR CERAMICS
No.1, New Chilan Nagar,
Trichy To Chennai Bye Pass Road, Trichy - 2.
Mob.: +91 75400 00186

TRIVANDRUM

TARA SANITARY WARES AND TILES
Goodwill Tower, Pallam Plamaddy Road,
Pallam, Trivandrum, Kerala - 695 004.
Mob.: +91 94470 55212

UNA

AGGARWAL HOME SOLUTIONS
Village Bharolian Khurd Opp. P.M.R. Hotel,
Nangal Road, Una - 174 303,
Mob.: +91 98053 01111

VIRAR

INFINITI CERAMICA PRIVATE LIMITED
210-211, 2nd floor, Kingslon Court,
Old Viva College Road, Virar West - 401 303.
Mob.: +91 93204 07010

VYARA

RAJASTHAN MARBLE
Sural Dhule Road, Near Rhytham
Hospital Vyara - 394 650.
Mob.: +91 94268 76958

WARANGAL

SRI TEJA TILES
Opp. Mg Motors, Hunter Road, Hanmakonda,
Warangal, Telangana - 506 002.
Mob.: +91 94944 23740

Simpolo Vitrified Private Limited

Old Ghuntu Road, MORBI - 363 642, Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA

5th Floor, DD-27, Salt Lake City, Sector I, Near Salt Lake City Center, Kolkata - 700 064, (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

CHENNAI

Prashant Gold Tower, 5th Floor, 39 North Usman Road, T' Nagar, Chennai - 600 017, Tamilnadu.
Mob.: +91 74348 51080, E-mail: chennai@simpolo.net

LUCKNOW

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow - 226 010.
Mob.: +91 97252 79749, E-mail: lucknow@simpolo.net